

Compact design for flexibility

Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



Water system



Direct Chill

Configurations



Countertop



Floorstanding



Water options

Chilled



Hot



Sparkling

Available colours



borgandoverstrom.com









Borg & Overström Totality™



Driven by a relentless pursuit of excellence, Borg & Overström Totality™ is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



impact resistant epoxy resin panel finish
Providing an increased level of hygiene and longevity,
Fynil™ is a scratch and impact resistant epoxy-resin surface finish - effectively resisting biofilm development and limescale cohesion.

Biofilm, limescale and



World-class filtration
For the ultimate drinking
experience, Borg & Overström
appliances can be pre-fitted
with a 3M filter to reduce
sediment, chlorine, odours
and scale.





Laboratory certified 99.99% bacteria-free
Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-eliminating process, Sterizen™.




Ultra-violet sterilising system
For added hygiene confidence,
appliances can be fitted with
Viovandt™ – an ultra-violet
sterilisation process that
reduces water-born bacteria.

b4

borgandoverstrom.com

B4 models

Countertop W320xD470xH415mm	Water system	Dispense height	Max power consumption	Silver	White	Black
Chilled & Ambient	Direct Chill	270mm	100W	103510	103511	103512
Chilled, Hot & Ambient	Direct Chill	270mm	600W	103520	103521	103522
Chilled, Ambient & Sparkling	Direct Chill	270mm	150W	103530	103531	103532
Chilled, Hot & Sparkling	Direct Chill	270mm	650W	103540	103541	103542
Floorstanding W320xD470xH1325mm				Silver	White	Black
Internal dimension - W280xD330xH830mm			Base cabinet	103910	103591	103592



Additions for B4



Printed paper cups
Environmentally-friend

Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Deep Sparkle™ CO² refills

Can be disposed via standard steel recycling or general waste. Requires CO² regulator with gauge.



Sanitisation kit

Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



Waste kit overflow sensor

Featuring an audible high-water level alarm to prevent the base cabinet waste tank from overflowing. Included as standard on floorstanding models.



Leak detection kit

Featuring a moisture sensor that shuts the water supply in the unlikely event of a leak. Included as standard.



Install kit with 3M filter

Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



Ultra-violet filter kit

Complete ViovandtTM filter kit to assist in water purification and removal of unwanted micro-organisms.



Rear cover

Tamper-proof rear cover anchors the appliance to the wall and protects plumbing and electrical connections. Ideal for public areas.

Book a visit to the Borg & Overström Academy for a personal demonstration of the new B4

Talk to an adviser +44 (0) 1362 695 006 sales@borgandoverstrom.com

borgandoverstrom.com

Version: B4.08.18.UK (ENG)