

Designed and produced by Barques Design. Tel: 0121 233 2080



TradeCoolersDirect reserves the right to change the design and specification of goods without notice. Descriptions in this leaflet are correct at the time of going to press but are subject to alteration. Details of any changes will be available.  
TradeCoolersDirect are the Sole UK Distributors of Winix water dispensers.  
All trademarks are the copyright of their respective owners.



## Winix Water Dispensers

2 Series • 5 Series • 6 Series  
7 Series • 4 Series • Water Boilers



TradeCoolersDirect.com™





## The power behind the brand

Synonymous with innovation and quality, Winix has been successfully supplying coolers to the 'water cooler market' for well over a decade, and boasts a 30 year trading partnership with Samsung. Today there are well over fifty thousand Winix/Samsung water coolers representing at least ten percent of the total placements in offices, homes, big institutions and large corporate companies throughout the UK. Installations include AXA, Bank of Ireland, Barclays, BSKyB, to name a few.

## 2 Series

MODEL NO.	WCD-2C	WCD-2D	WCD-2TC	WCD-2TD
Type	Floor Standing		Table Top	
Dispenses	Cold + Ambient	Hot + Cold	Cold + Ambient	Hot + Cold
Tank Capacity	Cold - 3.2 Litres -	Cold - 3.2 Litres Hot - 1.5 Litres	Cold - 3.2 Litres -	Cold - 3.9 Litres Hot - 1.5 Litres
Continuous Extraction	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 1.2 Litres	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 1.2 Litres
Power Requirement	220v - 240v / 13 amp (provided with moulded 13 amp plug)			
Power Consumption	Cold - 115 Watt -	Cold - 115 Watt Hot - 450 Watt	Cold - 100 Watt -	Cold - 100 Watt Hot - 425 Watt
Weight	22kg		22kg	
Dimensions	340(W) x 1010(H) x 340(D) mm		300(W) x 560(H) x 310(D) mm	



WCD-2C  
DISPENSES CHILLED  
AND AMBIENT  
FILTERED WATER



WCD-2TD  
DISPENSES HOT AND  
CHILLED FILTERED WATER



### Range Features

- > Both desktop and freestanding models available
- > Serves offices with over 40 members of staff
- > A compact and economical plumbed in cooler
- > Available in chilled and ambient/chilled and hot (with hot water safety tap)
- > High quality stainless steel tank
- > Auto temperature controller (set between 5°C - 10°C for chilled and 70°C - 85°C for hot water)
- > Attractive ivory finish
- > Moulded 13 amp plug as standard
- > Environmentally friendly CFC free refrigerant (R134a is used in this cooler)
- > On/off status indicator lights
- > Removable anti splash drip tray
- > Self closing hot water safety tap

### Installation

Optional DIY fitting kits which include saddle valve and water block for installing onto mains water supply, all fixings and one in-line filter along with recommended water block are available. Alternatively, installation can be arranged via your distributor.

### Maintenance

Annual maintenance contracts which cover 2 on-site sanitisation visits, 2 filter changes, checking all plumbing, fittings and wiring, and carrying out a water quality test are available from your distributor. In addition, on-site call out for failure can be included. Price on application.

## Fresh tasting filtered water always on tap

Winix 5 Series point of use water dispensers are an environmentally friendly, convenient and cost effective way of providing a constant supply of fresh filtered water.

Offering total cost control, Winix 5 models are connected directly into the mains water supply, the water being passed through an advanced in-line filtration system that removes organic chemicals, tastes and odours, leaving only crystal clear, fresh tasting water. There is no time wasted handling heavy bottles, no valuable storage space lost and no chance of running out of water – especially on hot days.

## 5 Series

MODEL NO.	WCD-5C	WCD-5D	WCD-5TC	WCD-5TD
Type	Floor Standing		Table Top	
Dispenses	Cold + Ambient	Hot + Cold	Cold + Ambient	Hot + Cold
Tank Capacity	Cold - 3.9 Litres -	Cold - 3.9 Litres Hot - 1.9 Litres	Cold - 3.9 Litres -	Cold - 3.9 Litres Hot - 1.0 Litre
Continuous Extraction	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 1.2 Litres	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 0.6 Litres
Power Requirement	110v - 240v / 50/60Hz (provided with moulded 13 amp plug)			
Power Consumption	Cold - 100 Watt -	Cold - 100 Watt Hot - 450 Watt	Cold - 100 Watt -	Cold - 100 Watt Hot - 250 Watt
Weight	18kg		14kg	
Dimensions	334(W) x 1030(H) x 353(D) mm		334(W) x 562(H) x 353(D) mm	

### Range Features

- > Large push button dispenser controls – safer, more hygienic and easier to use than conventional faucets
- > Double float safety mechanism with re-set button
- > Automatic hot tank overheat cut-out
- > Single water outlet – more hygienic than conventional tap dispensers
- > Adjustable water block protection device - automatically detects water leakage if fitted
- > High quality stainless steel fixed tank
- > Auto temperature controller (chilled 5°C - 10°C, hot 70°C - 85°C)
- > On/off and status neon indicator lights
- > Built in 'pop-up' cup dispenser (floor standing only)
- > Integral carrying handle for easy movement
- > Silver/grey finish
- > Fitted moulded 13 amp plug

### Installation

Optional DIY fitting kits which include saddle valve and water block for installing onto mains water supply, all fixings and one in-line filter along with recommended water block are available. Alternatively, installation can be arranged via your distributor.

### Maintenance

Annual maintenance contracts which cover 2 on-site sanitisation visits, 2 filter changes, checking all plumbing, fittings and wiring, and carrying out a water quality test are available from your distributor. In addition, on-site call out for failure can be included. Price on application.

**Large push button dispenser controls**  
Safer, more hygienic and easier to use than conventional faucets.

**Single water outlet**  
More hygienic than conventional tap dispensers.

**Ideal for**  
Cold and hot drinks such as chocolate, coffee or soups.



WCD-5C  
DISPENSES CHILLED  
AND AMBIENT  
FILTERED WATER



WCD-5TD  
DISPENSES HOT AND  
CHILLED FILTERED WATER





### Your brand here...

For high-impact you can also have your water cooler personalised with your company branding. Please ask your distributor for details.

### Stunningly stylish bottle coolers to suit all locations

Winix 7 Series bottled water coolers allow you the flexibility of being able to site them in almost any location – including table or work surfaces – and to choose from a variety of different water types to suit all tastes including mineral, spring and purified.

Stylish yet robust, the Winix 7 Series models are ideally suited for use in most locations including offices, dentists and doctors reception areas, refreshment areas, health clubs, sports facilities, workshops, warehouses and on the factory floor.

## 6 Series

MODEL NO.	WCD-6C	WCD-6D
Type	Floor Standing	
Dispenses	Cold + Ambient	Hot + Cold
Tank Capacity	Cold - 3.2 Litres -	Cold - 3.9 Litres Hot - 1.5 Litres
Continuous Extraction	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 1.2 Litres
Power Requirement	220v - 240v / 13 amp (provided with moulded 13 amp plug)	
Power Consumption	Cold - 115 Watt -	Cold - 115 Watt Hot - 450 Watt
Weight	20kg	
Dimensions	300(W) x 910(H) x 310(D) mm	

A compact, stylish and economical bottled fed water cooler ideally suited for most office environments and reception areas. Depending on the system you choose the systems can dispense either chilled and ambient or chilled and hot water.

#### Range Features

- > Suitable for use by everyone - just plug in and go!
- > High quality stainless steel tank
- > Auto temperature controller (set between 5°C - 10°C for chilled and 70°C - 85°C for hot water)
- > Attractive ivory finish
- > Moulded 13 amp plug as standard
- > Environmentally friendly CFC free refrigerant (R134a is used in this cooler)
- > On/Off status indicator lights
- > Removable anti splash drip tray
- > Self closing hot water safety tap

## 7 Series

MODEL NO.	WCD-7C	WCD-7D	WCD-7TC	WCD-7TD
Type	Floor Standing		Table Top	
Dispenses	Cold + Ambient	Hot + Cold	Cold + Ambient	Hot + Cold
Tank Capacity	Cold - 3.9 Litres -	Cold - 3.9 Litres Hot - 1.9 Litres	Cold - 3.9 Litres Hot - 1.0 Litre	Cold - 3.9 Litres Hot - 1.0 Litre
Continuous Extraction	Cold - 1.5 Litres -	Cold - 1.5 Litres Hot - 1.2 Litres	Cold - 1.5 Litres Cold - 0.6 Litres	Cold - 1.5 Litres Cold - 0.6 Litres
Power Requirement	110v - 240v / 50/60Hz (provided with moulded 13 amp plug)			
Power Consumption	Cold - 100 Watt -	Cold - 100 Watt Hot - 450 Watt	Cold - 100 Watt Hot - 250 Watt	Cold - 100 Watt Hot - 250 Watt
Weight	17.5kg		13.5kg	
Dimensions	334(W) x 1030(H) x 353(D)mm		334(W) x 562(H) x 353(D)mm	

#### Range Features

- > Suitable for use by everyone, just plug in and go!
- > Large push button dispenser controls – safer, more hygienic and easier to use than conventional faucets
- > Single water outlet – more hygienic than conventional tap dispensers
- > High quality stainless steel fixed tank
- > Auto temperature controller (chilled 5°C - 10°C, hot 70°C - 85°C)
- > On/off and status neon indicator lights
- > Built in 'pop-up' cup dispenser (floor standing only)
- > Integral carrying handle for easy movement
- > Silver/grey finish
- > Fitted moulded 13 amp plug



**Large push button dispenser controls**  
Safer, more hygienic and easier to use than conventional faucets.

**Single water outlet**  
More hygienic than conventional tap dispensers.

**Ideal for**  
Cold and hot drinks such as chocolate, coffee or soups.

WCD-6C  
DISPENSES  
CHILLED AND  
AMBIENT WATER



WCD-7C  
DISPENSES  
CHILLED AND  
AMBIENT WATER



WCD-7TD  
DISPENSES HOT AND  
CHILLED FILTERED WATER





## Accessories

### Features

#### A. Installation Kit

- > Saddle valve/compression fitting
- > Water block and reset button
- > Reducer
- > 1 micron carbon block filter
- > 5m of 1/4" food grade pipe
- > Filter bracket

#### B. Sanitisation Kit

- > Sanitisation gloves
- > Mini-dosa
- > 100ml sanitiser fluid
- > Sanitiser wipes

#### Cup Dispensers

- > Cup dispensers available in grey, white and stainless steel



## 4 Series

MODEL NO.	WCD-4C
Type	Table Top
Dispenses	Cold
Tank Capacity	Cold - 2.3 Litres
Continuous Extraction	Cold - 100cc/20 sec
Power Requirement	230v a.c. 50Hz 100w
Power	95 Watt
Weight	approx. 11.5kg
Dimensions	300(W) x 415(H) x 400(D) mm
Filter Location	Outside

### Features

- > Sleek contemporary design
- > Simple controls
- > Easy to use and maintain
- > Silver/grey finish
- > One touch water extraction system
- > LED Graphic display
- > Cold water temperature control
- > Easy change filter system
- > Optional Brita filtration cartridge
- > Ideal for home use, small businesses and retail outlets

### Installation

Optional DIY fitting kits which include saddle valve and water block for installing onto mains water supply, all fixings and one in-line filter along with recommended water block are available. Alternatively, installation can be arranged via your distributor.

### Maintenance

Annual maintenance contracts which cover 2 on-site sanitisation visits, 2 filter changes, checking all plumbing, fittings and wiring, and carrying out a water quality test are available from your distributor. Price on application.



WCD-4C  
DISPENSES CHILLED  
FILTERED WATER



## Boilers

MODEL NO.	Auto Fill Boilers PB-10	Push Button Boilers WMT-5
Type	Table Top	
Immediate draw off	5 and 10L	3 and 5L
Cups Per Hour	156	133
Power Requirement @ 230v a.c.	2.8kW	2.4kW
Weight	15kg	14kg
Dimensions	210(W) x 590(H) x 490(D)mm inc drip tray	325(W) x 447(H) x 222(D)mm inc drip tray

### Range Features

#### PB-10

- > Push-button hot water dispense
- > Energy efficient water boiler
- > Ecomode option
- > 5 and 10L options
- > Compact footprint
- > Excellent value for money
- > Plumbed in to mains water supply
- > Excellent performance and value for money
- > Electronically controlled
- > High quality stainless steel construction
- > Easy to descale and service
- > Made with over 95% recyclable materials
- > Takes up to 40cl (14oz) cup

#### WMT-5

- > Slim wall-mounted hot water dispense
- > Tap of push-button dispense
- > Energy efficient water boiler
- > 3 and 5L options
- > Ecomode on 5L model
- > Excellent value for money
- > Lever handle hot water dispense
- > Compact design
- > Plumbed into mains water supply
- > Precise water temperature control
- > Electronic control and user diagnostics
- > Easy to descale and service



WMT-5  
ECOBOILER



PB-10  
PUSH BUTTON  
ECOBOILER



PB-10  
Ideal for all  
catering locations.

WMT-5  
Ideal for all self  
service locations.

